

Article type	Number of circuits	On / Off control	TPI control	Modulating heater	Room temperature control	Outside temperature control	Controller class	Efficiency gain					
RMH760B-...	3			x	3	1	VIII	5.0%					
					1	1	VI	4.0%					
						1	II	2.0%					
		x				3	1	VII	3.5%				
						1	1	VII	3.5%				
							1	III	1.5%				
RMK770-...	1			x	1	1	VI	4.0%					
						1	II	2.0%					
		x				1	1	VII	3.5%				
							1	III	1.5%				
RVL482	1			x	1	1	VI	4.0%					
					x		1	1	II	2.0%			
				x			1	1	VII	3.5%			
RVL841	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVL480	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVL479	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVP361	2						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVP360	2						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVP351	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVP350	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVP340	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVP210....	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVP201....	1						x	1	1	VII	3.5%		
										1	1	III	1.5%
RVD12...				x	1	1	VI	4.0%					
RVD14...				x	1	1	VI	4.0%					
RVD25...				x	1	1	VI	4.0%					
RVD26...				x	2	2	VIII	5.0%					
RDD100.1RF					1		I	1.0%					
RDE100.1RF					1		I	1.0%					
RDE-MZ6		x			1		I	1.0%					
RDE100		x			1		I	1.0%					
RDE100.1		x			1		I	1.0%					
RDE100.1-XA		x			1		I	1.0%					
RDE100.1RFS		x			1		I	1.0%					
RDE100.1RFS-XA		x			1		I	1.0%					
RDD100		x			1		I	1.0%					
RDD100.1		x			1		I	1.0%					
RDD100.1RFS		x			1		I	1.0%					
RDD100.1-XA		x			1		I	1.0%					
RDH10		x			1		I	1.0%					
RDH10RF/SET		x			1		I	1.0%					
RDJ10		x			1		I	1.0%					
RDJ10RF/SET		x			1		I	1.0%					

Article type	Number of circuits	On / Off control	TPI control	Modulating heater	Room temperature control	Outside temperature control	Controller class	Efficiency gain
RAA11		x			1		I	1.0%
RAA21		x			1		I	1.0%
RAA31..		x			1		I	1.0%
RAA41		x			1		I	1.0%
REV-13..		x	x		1		IV	2.0%
REV-17..		x	x		1		IV	2.0%
REV-24..		x	x		1		IV	2.0%
RAV11..		x	x		1		IV	2.0%
RDF800KN	1	x			1		I	1.0%
RDG110	1	x			1		I	1.0%
RDG100		x	x		1		IV	2.0%
RDG100T		x	x		1		IV	2.0%
RDG100T/H		x	x		1		IV	2.0%
RDG100KN		x	x		1		IV	2.0%
RDG160T		x		x	1		V	3.0%
RDG160KN		x		x	1		V	3.0%
RDG165KN		x		x	1		V	3.0%
RDG400		x		x	1		V	3.0%
RCU10		x	x		1		IV	2.0%
RCU15		x	x		1		IV	2.0%
QAX903-9	up to 12	(x)	(x)	(x)	12	1	VIII	5.0%
QAX913-9	up to 12	(x)	(x)	(x)	12	1	VIII	5.0%
(x) in combination with separate heater controller (e.g. Synco 700)								
RLA162	2			x	1	1	VI	4.0%
RVS13	up to 2	x			1	1	VII	3.5%
					1		I	1.0%
						1	III	1.5%
RVS43	< 3			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	x	1	1	VII	3.5%			
		1		I	1.0%			
			1	III	1.5%			
≥ 3 *				x	1	1	VIII	5.0%
					1		VIII	5.0%
RVS63	< 3			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	x	1	1	VII	3.5%			
		1		I	1.0%			
			1	III	1.5%			
≥ 3 *				x	1	1	VIII	5.0%
					1		VIII	5.0%
RVS21	< 3			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	x	1	1	VII	3.5%			
		1		I	1.0%			
			1	III	1.5%			
≥ 3 *				x	1	1	VIII	5.0%
					1		VIII	5.0%

Article type	Number of circuits	On / Off control	TPI control	Modulating heater	Room temperature control	Outside temperature control	Controller class	Efficiency gain
RVS61	< 3			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	≥ 3 *	x			1	1	VII	3.5%
					1		I	1.0%
						1	III	1.5%
LMS14/15	< 3			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	≥ 3 *				1	1	VIII	5.0%
					1		VIII	5.0%
LMU5/6/7	< 3			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	***				1	1	VIII	5.0%
					1		VIII	5.0%
RVC32	< 3			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	≥ 3 *				1	1	VIII	5.0%
					1		VIII	5.0%
LMU84.1	1			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
	**				1	1	VIII	5.0%
					1		VIII	5.0%
LMU34	1			x	1	1	VI	4.0%
					1		V	3.0%
						1	II	2.0%
POL638.00/DH1 (V1.10)	9 ****			x	4	1	VI	4.0%
POL638.70/DH1 (V1.10)	9 ****			x	4	1	VI	4.0%

* with "own" zones or additional zone controllers (RVS46)

** additional zone controllers (OCI365, RVS46)

*** additional zone controllers (RVS46)

**** 3 pre-controller, 4 heating circuits, 2 DHW circuits