

# CK 20 Premium

RAPID HEATER

PRODUCT-NO.: 237835

**CK 20 Premium rapid heater – compact and powerful for rapid heating.**

With its elegant design and high heating output, the CK Premium series of rapid heaters is perfect for rooms that need to be heated quickly and for short periods. With their tangential fans, STIEBEL ELTRON rapid heaters are among the quietest in their class (silent mode). The comfort functions of the integral controller, such as the 7-day timer and open window detection, highlight the efficiency and high quality features of the appliance.



## The main features

Wall mounted rapid heater – ideal as a booster heater or interim heater for spring/autumn

2000 W heating output

Quick room air heating

High quality design with an aluminium front

Controls with backlit LCD

7-day timer, 120-minute short-time timer, frost protection and open window detection

Silent mode with 1 kW base heating stage

Control unit with self-learning capability: automatic calculation of the preheat time in timer mode

ON/OFF switch and overheating protection

Made in Germany



Type	CK 20 Premium	CK 20 S
Part no.	237835	071793
Connected load	2 kW	2,0 kW
Height	469 mm	460 mm
Depth	126 mm	123 mm
Width	345 mm	335 mm

#### Technical data

Power supply	1/N/PE ~ 230 V	1/N/PE ~ 220/230 V
Frequency	50/- Hz	50/- Hz
Rated voltage	~230 V	~230 V
Rated current	8,7 A	8,7 A
Operating noise	48 dB(A)	49 dB(A)
Weight	5,35 kg	4,4 kg
Colour	alpine white	alpine white
Setting range	5 - 30 °C	5-30 °C
IP-Rating	IP24	IP13B
Protection class	I	I

Depth including wall mounting bracket

**Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

**Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.