



ISTITUTO GIORDANO

CE NOTIFIED BODY No. 0407

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

0407-CPR-1098 (IG-184-2015) - GB

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

METAL CHIMNEYS, FLUE LINERS AND CONNECTING FLUE PIPES

identified as shown overleaf (Annex)

placed on the market by

STABILE S.p.A.

Via F.lli Kennedy, 1 - 21055 GORLA MINORE (VA) - Italy

and produced in the manufacturing plant

ST/001/219_970/15

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 1856-2:2009

under system 2+ for the performances set out in this certificate are applied and that

the factory production control fulfils all the prescribed requirements for these performances.

This certificate was first issued on 06/11/2015 and will remain valid as long as the harmonised standard remains valid or the manufacturing conditions in the plant or the factory production control itself are not modified significantly.

Bellaria-Igea Marina - Italia, 29/01/2016

Revision No. 0

This document is a re-issue, in English language, of the certificate No. 0407-CPR-1098 (IG-184-2015) Revision No. 0 dated 06/11/2015 issued in Italian, in case of dispute the only valid version is the Italian one.

CPD Department Technical Manager

(Dott. Ing. Giuseppe Persano Adorno)

The original of this document consists of an electronic document with a digital signature affixed pursuant to DPR (Presidential Decree) 513/97.

Chief Executive Officer

(Dott. Arch. Sara Lorenza Giordano)

Sheet 1 of 2

ANNEX TO CERTIFICATE
0407-CPR-1098 (IG-184-2015) - GB

Revision No. 0 dated 29/01/2016

PRODUCT IDENTIFICATION	TYPE	DESIGNATION
STABILE NX 1.4404 (AISI 316L) steel flue liner and single-wall connecting flue pipe of thickness 0,4 mm coated with black silicone paint. Diameter range: 80-120 mm.	With seals	Connecting flue pipe EN 1856-2 - T200-P1-W-V2-L50040-O(50)M Flue liner EN 1856-2 - T200-N1-W-V2-L50040-O
	No seals	Connecting flue pipe EN 1856-2 - T600-N1-W-V2-L50040-G(700)M Flue liner EN 1856-2 - T600-N1-W-V2-L50040-G

